HP Color LaserJet Enterprise M856 Printer series



Maintain maximum productivity while printing exceptional color.

Print phenomenal color while maximizing uptime – now with original HP JetIntelligence toner technology. Expect consistently fast output, brilliant prints, and the world's strongest security. 1

This printer is intended to work only with cartridges that have a new or reused HP chip, and it uses dynamic security measures to block cartridges using a non-HP chip. Periodic firmware updates will maintain the effectiveness of these measures and block cartridges that previously worked. A reused HP chip enables the use of reused, remanufactured, and refilled cartridges. More at: http://www.hp.com/learn/ds



HP Color LaserJet Enterprise M856dn



HP Color LaserJet Enterprise M856x

Work stands out with exceptional color performance

- Special print mode for a wider color range and extra vividness for documents and marketing
- Look professional with vibrant, high-quality color prints that can stand the test of time
- Get professional quality and performance with Original HP Toner cartridges and drums with
- Produce full-bleed A3 marketing materials by printing on SRA 3 paper and trimming down to size.

The world's most secure printing¹

- Each printer in your fleet checks its operating code and repairs itself from attacks.
- Your printer's outgoing network connections are inspected to stop suspicious requests and thwart
- Memory activity is monitored to continually detect and stop attacks
- Firmware is automatically checked during startup to determine if it's authentic code—digitally

Minimal interruptions. Maximum productivity.

- Change the toner and drum in seconds. Both are easily accessible and come already installed out of
- Avoid interruptions with an HP LaserJet printer designed for maximum productivity.
- Tailor this printer to help you meet the needs of your business with a wide range of paper-handling
- Grab pages and go. This HP LaserJet wakes up quickly and prints fast—up to 55/56, (letter/A4)

Built with the environment in mind.

- Benefit from reduced energy consumption and increased sustainability, up to 78% over
- Help save paper right out of the box. The duplex print setting is set at default paper savings mode. 4

Based on HP review of 2018 published security features of competitive in-class printers. Only HP offers a combination of security features that can monitor to detect and automatically stop an attack then self-validate software integrity in a reboot. For a list of printers, wish thttp://www.hp.com/go/printersThatProtect. For more information: http://www.hp.com/go/printersCalmins. Exact speed varies depending on the system configuration, software application, driver, and document complexity.

Based on H Pinternal testing using normalized TEC Value, 2019.

Dependent upon country setup specifications.

A Procedure A emissions compliant device meets the less stringent (higher) levels of emissions allowed by the FCC for a product operation in a commercial environment. An FCC class A device cannot be marketed for use in a residential environment and an FCC class. A device should not be purchased for use in a residential environment due to the increased risk of interference to radio communications

Product walkaround

- 1. 4.3-inch (10.9 cm) color graphics display with touch screen $\,$
- 2, 500-sheet output bin
- 3. Front door (access to JetIntelligence toner cartridges and imaging drums)
- 4. Automatic two-sided printing
- 5. 550-sheet tray 2 supports media sizes up to 11.7 x 17 inches (297 x 432 mm)
- 6. Hardware Integration Pocket1
- 7. Easy-access USB port²
- 8. Upper-right door (access to print path)
- 9. Right door (access to the fuser and print path)
- 10. 100-sheet multipurpose tray 1 supports media sizes up to 12×18 inches (305×457 mm) and SRA3
- 11. 2 Hi-Speed USB 2.0 Host ports
- 12. Gigabit/Fast Ethernet 10/100/1000Base-TX network port
- 13. Hi-Speed USB 2.0 device port



Series at a glance





Model	HP Color LaserJet Enterprise M856dn	HP Color LaserJet Enterprise M856x
Product number	T3U51A	T3U52A
Print speed (letter/A4, black and color) ³	Up to 55/56 pages per minute (ppm)	
Enhanced print mode for sharper, more vivid graphics	√	
Automatic two-sided printing (default ⁴)	√	
100-sheet multipurpose tray 1 and 550-sheet tray 2	√	
1x550-sheet paper tray	Optional (add up to two)	√ (Tray 3 standard; add up to one additional)
2x550-sheet paper tray and stand ⁵	Optional (add up to one stand only)	√
2,700-sheet HCI paper tray and stand ⁵	Optional (add up to one stand only)	Not applicable
HP LaserJet stand ⁵	Optional (add up to one stand only)	Not applicable
Input capacity (standard/maximum) ⁶	Up to 650/4,450 sheets	Up to 2,300/2,850 sheets
Recommended monthly page volume ⁷	Up to 50,000 pages	
Cartridge yield ⁸ (A/X)	Black: ~16,000/34,000 pages; Color: ~13,000/29,000 pages	
Storage	Standard: 16 GB eMMC Optional: HP High-Performance Secure Hard Disk	
Dual-band Wi-Fi® and Wi-Fi Direct with Bluetooth® Low Energy ⁹	Optional	√
NFC touch-to-print ¹⁰	Optional	

¹ Solutions deployed through the Hardware Integration Pocket (HIP) may require additional purchase. The HP Color LaserJet Enterprise M856 series comes with a second-generation HIP.
2 An administrator must enable the easy-access USB port before use.
3 Measured using ISO/IEC 24734, excludes first set of test documents. For more information, see hp. com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity.
4 All LaserJet Pro, Enterprise, Managed, and PageWide products with introductions beginning in September 2019 will include consistent worldwide default duplex settings (across bundles/drivers); product introductions before September 2019 may have inconsistent default duplex settings across drivers.
5 The HP Color LaserJet Enterprise M856 model can add only one stand at a time: 2x550-sheet paper tray and stand; or 2,700-sheet HCl paper tray and stand; or HP LaserJet stand.
6 Selection of optional paper-bandling accessories required to reach maximum input capacity.
7 HP recommends that the number of printed pages per month be within the stated range for optimum device performance, based on factors including supplies replacement intervals and device life over an extended warranty period.
8 Average black and color composite (CMVY) declared toner yields based on ISO/IEC 19798 and continuous printing. Actual yields vary considerably based on images printed and other factors. For details, see hp. com/go/learnaboutsupplies. Optional high-yield carridines are not included with printer: clases are purchase separately.

^{*}Average back and compromes on the New York of the Company of the Polymer of the

HP Services

Downtime can have serious consequences, so HP provides support beyond the standard warranty. You benefit from reduced risk, maximized uptime, predictable service delivery and no unbudgeted repair costs. HP Care Pack Services provide a comprehensive suite of protection services designed to keep HP hardware and software up and running so employees can stay productive.

For carepack availability visit: hp.com/go/cpc













Top features

Designed for superb color output, HP LaserJet Enterprise M856 printers with HP JetIntelligence toner produce amazing quality output. Print high quality, premium marketing materials and professional documents with consistently brilliant color.

HP printers have the industry's strongest security because they're always on guard, continually detecting and stopping threats while adapting to new ones. And only HP printers automatically self-heal from attacks, so IT doesn't need to intervene.

Help run your business efficiently and maximize uptime. With HP LaserJet enterprise printers, there's minimal interruptions to workflow. Continue at peak performance with a streamlined printer designed to keep up with the pace of business.

Support vour business' environmental initiatives with printers designed to use energy efficiently.

Accessories 2EH31A

2NR09A 2NR12A 2TD64A HP 2GB 144-Pin DDR3 TAA Version DIMM HP Removable Hard Drive Enclosure HP Accessibility Kit HP Accessibility Kit
HP Jetdirect 3100w BLE/NFC/Wireless Accessory
HP Legic Secure USB Reader
HP Internal USB Ports
HP High-Performance Secure Hard Disk
HP Foreign Interface Harness 3JN69A 40L32A B5L28A B5L29A B5L31A ne roteign interrace Harness HP SmartCard NIPRNet Solution for US Government HP 1 GB x32 144-pin (800 MHz)DDR3 SODIMM HP 2 GB x32 144-pin (800 MHz)DDR3 SODIMM HP SmartCard SIPRNet Solution for US Government HP LaserJet 550-sheet Paper Tray CC543B E5K48A E5K49A F8B30A T3V27A T3V28A T3V29A T3V30A HP Laser Jet Printer Stand
HP Color Laser Jet 2x550-sheet Feeder and Stand
HP Laser Jet 2700-sheet High Capacity Paper Tray and Stand HP USB Universal Card Reader HP HIP2 Keystroke Reader X3D03A Y7C05A

HP MFP Analog Fax Accessory 700

Supplies

3WT89A 3WT90A HP Laser Jet 3WT89A Transfer Kit HP Laser Jet 3WT90A Toner Collection Unit 1 Black (~90,000 pages) HP Laser Jet 110V Fuser Kit HP 660A Original Laser Jet Imaging Drum 4YL16A W2004A HP 660A Original Laser Jet Imaging Drum
HP 659A Black Original Laser Jet Toner Cartridge 1 Black (~16,000 pages)
HP 659X High Yield Black Original Laser Jet Toner Cartridge 1 Black (~34,000 pages)
HP 659X High Yield Syan Original Laser Jet Toner Cartridge 1 Cyan (~13,000 pages)
HP 659X High Yield Cyan Original Laser Jet Toner Cartridge 1 (Yalow (~13,000 pages))
HP 659A Vellow Original Laser Jet Toner Cartridge 1 Yellow (~13,000 pages)
HP 659X High Yield Yellow Original Laser Jet Toner Cartridge 1 Yellow (~29,000 pages)
HP 659X High Yield Magenta Original Laser Jet Toner Cartridge 1 Magenta (~13,000 pages)
HP 659X High Yield Magenta Original Laser Jet Toner Cartridge 1 Magenta (~29,000 pages) W2010A W2010X W2011A W2011X W2012A W2012X W2013A W2013X

Services

UC2U9E - HP 3 year Next Business Day w/DMR Service for Color LaserJet Enterprise M856 UC2V0E - HP 4 year Next Business Day w/DMR Service for Color LaserJet Enterprise M856 UC2V1E - HP 5 year Next Business Day w/DMR Service for Color LaserJet Enterprise M856 UC2V2E - HP 3 year 4 hour 9x5 w/DMR Service for Color LaserJet Enterprise M856 UC2V3E - HP 4 year 4 hour 9x5 w/DMR Service for Color LaserJet Enterprise M856 UC2V4E - HP 5 year 4 hour 9x5 w/DMR Service for Color LaserJet Enterprise M856 UC2V8E - HP 3 year Parts Exchange Service for Color LaserJet Enterprise M856 UC2V9E - HP 4 year Parts Exchange Service for Color LaserJet Enterprise M856 UC2W0E - HP 5 year Parts Exchange Service for Color LaserJet Enterprise M856

UC2W1PE - HP 1 year Post Wty Next Business Day w/DMR Service for Color LaserJet Enterprise M856 UC2W3PE - HP 1 year Post Warranty 4 hour 9x5 w/DMR Service for Color LaserJet Enterprise M856

UC2W7PE - HP 1 yr Post Wty Parts Exchange Service for Color LaserJet Enterprise M856 U9JT3E - HP Installation Service with network configuration for Department Printer

Based on HP review of 2018 published security features of competitive in-class printers. Only HP offers a combination of security features that can monitor to detect and automatically stop an attack then self-validate software integrity in a reboot. For a list of printers, visit http://www.hp.com/go/PrintersThatProtect. For more information: http://www.hp.com/go/printersecurityclaims

Measured using ISO/IEC 24734, excludes first set of test documents. For more information, see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity

Based on HP Internal testing using normalized TEC Value, 2019.

Dependent upon country setup specifications.

An ECC Class A demissions compliant device meets the less stringent (higher) levels of emissions allowed by the FCC for a product operation in a commercial environment. An FCC class A device cannot be marketed for use in a residential environment and an FCC class. A device should not be purchased for use in a residential environment due to the increased risk of interference to radio communications.

HP Color LaserJet Enterprise M856 Printer series

Model	HP Color LaserJet Enterprise M856dn	HP Color LaserJet Enterprise M856x	
Product number	T3U51A	T3U52A	
AIO functions	Print		
Print			
Print speed ^{10,12,11}	First page out Letter: As fast as 5.9 sec Black; As fast as 6.3 sec Color; First page out A4: As fast as 5.9 sec Black; As fast as 6.3 sec Color; Letter: Up to 56 ppm Black; Up to 56 ppm Color; A4: Up to 56 ppm Black; Up to 56		
Print resolution	Black (best) Up to 1200 x 1200 dpi; Black (normal) Up to 600 x 600 dpi; Black (fine lines) Up to 1200 x 1200 dpi Color (best): Up to 1200 x 1200 dpi; Color (normal): Up to 600 x 600 dpi; Color (fine lines): Up to 1200 x 1200 dpi		
Print technology	Laser; Print resolution technology: HP ImageREt 4800, Enhanced (600 x 600 dpi), Fine Lines (1200 x 1200 dpi), Quickview (300 x 300 dpi), Pantone Calibrated		
Print cartridges number	4 toner cartridges (1 each for black, cyan, magenta, yellow)		
Standard print languages	HP PCL 6, HP PCL 5 (HP PCL 5 driver available from the Web only), HP postscript level 3 emulation, native PDF printing (v 1.7), Apple AirPrint™, Google Cloud Print		
Printer smart software features	Print preview, duplex printing, print multiple pages per sheet (2, 4, 6, 9, 16), collation, watermarks, store print jobs, easy-access USB, HP EasyColor		
Printer management	HP Printer Assistant; HP Device Toolbox; HP Web JetAdmin Software; HP JetAdvantage Security Manager; HP SNMP Proxy Agent; HP WS Pro Proxy Agent; Printer Administrator Resource Kit for HP Universal Print Driver (Driver Configuration Utility - Driver Deployment Utility - Managed Printing Administrator)		
Connectivity			
Standard connectivity	1 Hi-Speed Device USB 2.0; 2 Hi-Speed USB 2.0 rear host ports; 1 walkup USB 2.0 host port; 1 Gigabit/Fast Ethernet 10/100/1000 Base-TX network port; 1 Hardware Integration Pocket 2nd generation (HIP2)	1 Hi-Speed Device USB 2.0; 2 Hi-Speed USB 2.0 rear host ports; 1 walkup USB 2.0 host port; 1 Gigabit/Fast Ethernet 10/100/1000 Base-TX network port; 1 Hardware Integration Pocket 2nd generation (HiP2), Wireless 802.11	
Network capabilities	Yes, via HP Jetdirect Ethernet embedded print server (standard) which supports: 10Base-T, 100Base-Tx, 1000Base-T; 802.3az (EEE) support on Fast Ethernet and Gig Links; IPsec (standard); 802.11a/b/g/n wireless networking (optional), second Ethernet port (optional)	Yes, via HP Jetdirect Ethernet embedded print server (standard) which supports: 10Base-T, 100Base-Tx, 1000Base-Tx, 802.3az (EEE) support on Fast Ethernet and Gig Links; IPsec (standard); 802.11a/b/g/n wireless networking (standard), second Ethernet port (optional)	
Wireless capability	Optional, enabled with purchase of a wireless hardware accessory. Single band Wireless Station and Wi-Fi Direct functionality available with HP Jetdirect 3000w NFC/Wireless Accessory J8030A, Dual band Wireless Station and Wi-Fi Direct functionality available with HP Jetdirect 3100w BLE/NFC/Wireless Accessory 3JN69A, Dual band Wireless Station functionality available with HP Jetdirect 2900mw Print Server J8031A	Yes, built-in Embedded Wi-Fi with Dual band Wireless Station and Wi-Fi Direct functionality and BLE. Dual band Wireless Station functionality available with HP Jetdirect 2900nw Print Server J8031A; NFC functionality available with HP Jetdirect 3100w BLE/NFC/Wireless Accessory 3JN69A	
Mobile printing capability	HP ePrint; Apple AirPrint™; Google Cloud Print™; Mopria™ Certified		
Memory ⁹	Standard: 1.5 GB: Maximum: 3.5 GB		
Processor speed	1.2 GHz		
Storage ¹	16 GB eMMC Hard disk: Optional 500 GB HDD: HP Secure High Performance Hard Disk drive 500 GB BSL29A; HP TAA Version Secure Hard Disk Drive SEL03A		
Duty cycle (monthly)13	Letter: Up to 250,000 pages; A4: Up to 250,000 pages; Recommended monthly page volume ¹⁴ : Up to 50,000		

HP Color LaserJet Enterprise M856 Printer series

Model	HP Color LaserJet Enterprise M856dn	HP Color LaserJet Enterprise M856x	
Product number	T3U51A	T3U52A	
Paper handling			
Input	$ \textbf{Standard:} \ 100-\text{sheet multipurpose tray,} \ 550-\text{sheet input tray;} \ Up \ to \ 650 \ sheets \ (80 \ g/m^2 \ paper); \ \textbf{Maximum:} \ Up \ to \ 4450 \ sheets \ (80 \ g/m^2 \ paper); \ \textbf{Maximum:} \ Up \ to \ 4450 \ sheets \ (80 \ g/m^2 \ paper); \ \textbf{Maximum:} \ Up \ to \ 4450 \ sheets \ (80 \ g/m^2 \ paper); \ \textbf{Maximum:} \ Up \ to \ 4450 \ sheets \ (80 \ g/m^2 \ paper); \ \textbf{Maximum:} \ Up \ to \ 4450 \ sheets \ (80 \ g/m^2 \ paper); \ \textbf{Maximum:} \ Up \ to \ 4450 \ sheets \ (80 \ g/m^2 \ paper); \ \textbf{Maximum:} \ Up \ to \ 4450 \ sheets \ (80 \ g/m^2 \ paper); \ \textbf{Maximum:} \ Up \ to \ 4450 \ sheets \ (80 \ g/m^2 \ paper); \ \textbf{Maximum:} \ Up \ to \ 4450 \ sheets \ (80 \ g/m^2 \ paper); \ \textbf{Maximum:} \ Up \ to \ 4450 \ sheets \ (80 \ g/m^2 \ paper); \ \textbf{Maximum:} \ Up \ to \ 4450 \ sheets \ (80 \ g/m^2 \ paper); \ \textbf{Maximum:} \ Up \ to \ 4450 \ sheets \ (80 \ g/m^2 \ paper); \ \textbf{Maximum:} \ Up \ to \ 4450 \ sheets \ (80 \ g/m^2 \ paper); \ \textbf{Maximum:} \ Up \ to \ 4450 \ sheets \ (80 \ g/m^2 \ paper); \ \textbf{Maximum:} \ Up \ to \ 4450 \ sheets \ Up \ to \ 4450 \ she$	$ \begin{array}{l} \textbf{Standard:} \ 100\text{-sheet multi-purpose tray,} \ 2\times550 \ sheet paper trays,} \ 2\times550 \ sheet paper trays, 2\times550 \ sheet paper tray and stand; \ Up to 2300 \ sheets \ (80\ g/m^2\ paper); \ \textbf{Maximum:} \ Up to 2850\ sheets \ (80\ g/m^2\ paper) \end{array} $	
Output	Standard: 500-sheet output bin; Up to 500 sheets Standard; Transparencies; Up to 50 sheets		
Duplex Options	Automatic (standard)		
Envelope feeder	No No		
Standard paper trays	Standard: 2; Maximum: 6	Standard: 5; Maximum: 6	
Media types	Paper (plain, heavy, extra heavy, glossy, light, recycle, tough), ervelopes, labels, glossy film, cardstock, transparencies		
Media weight	100-sheet multipurpose Tray 1: 16 to 80 lb, 550-sheet input Tray 2: 16 to 68 lb, Optional 1x550 and 2x550 tray and stand: 16 to 68 lb, Optional 2700-sheet HCl paper tray and stand: 16 to 68 lb	100-sheet multipurpose Tray 1: 16 to 80 lb, 550-sheet input Tray 2: 16 to 68 lb, 1x550 and 2x550 tray and stand: 16 to 68 lb	
Media sizes	100-sheet multipurpose Tray 1: Statement, 3 x 5 index card, 4 x 6 index card, 5 x 7 index card, 5 x 8 index card, Letter, Letter-R, Legal, Executive, 11 x 17 in; 8.5 x 13, 12 x 18, Envelopes: #9, #10, Monarch;		
Media Sizes Custom	100 -sheet multipurpose Tray 1: 2.5×5 to 12.6 x 18 in; 550-sheet input Tray 2: 5.8×5.8 to 11.7 x 17 in; Optional 1x550 and 2x550 tray and stand: 5.8×5.8 to 12.6 x 18 in; Optional 2700-sheet HCl paper tray and stand: 11 x 8.27 to 11.7 x 8.5 in	100 - sheet multipurpose Tray 1: 2.5 x 5 to 12.6 x 18 in; 550-sheet input Tray 2: 5.8 x 5.8 to 11.7 x 17 in; 2x550 tray and stand and optional 1x550 tray; 5.8 x 5.8 to 12.6 x 18 in	
Dimensions (W x D x H) ⁴	21.89 x 24.02 x 20.47 in; 556 x 610 x 520 mm; Maximum: 36.26 x 24.02 x 23.54 in; 921 x 610 x 598 mm	21.89 x 25.94 x 38.19 in; 556 x 659 x 970 mm; Maximum: 44.88 x 33.43 x 41.26 in; 1140 x 849 x 1048 mm	
Weight ⁵	115.3 lb; 52.3 kg	188.3 lb; 85.4 kg	
What's in the box ³	HP Color LaserJet Enterprise M856dn printer; HP Black Original LaserJet Toner Cartridge (~16,000 pages), HP Cyan, Magenta and Yellow Original LaserJet Toner Cartridges (~13,000 pages each), and 4 HP Original LaserJet Imaging Drums (~65,000 pages each color); Getting started Guide; 1 Power cord	HP Color LaserJet Enterprise M856x printer; HP Black Original LaserJet Toner Cartridge (~16,000 pages), HP Cyan, Magenta and Yellow Original LaserJet Toner Cartridges (~13,000 pages each), and 4 HP Original LaserJet Imaging Drums (~65,000 pages each color); Getting Started Guide; 1 Power cord	
Replacement cartridges ⁸	W2010A HP 659A Black Laser Jet Toner Cartridge (~16,000 pages); W2011A HP 659A Cyan Laser Jet Toner Cartridge (~13,000 pages); W2012A HP 659A Yellow Laser Jet Toner Cartridge (~13,000 pages); W2011X HP 659X Black Laser Jet Toner Cartridge (~34,000 pages); W2011X HP 659X Magenta Laser Jet Toner Cartridge (~29,000 pages); W2011X HP 659X Yellow Laser Jet Toner Cartridge (~29,000 pages); W2011X HP 659X Magenta Laser Jet Toner Cartridge (~29,000 pages); W2011X HP 659X Magenta Laser Jet Toner Cartridge (~29,000 pages); W2011X HP 659X Magenta Laser Jet Toner Cartridge (~29,000 pages); W2011X HP 659X Magenta Laser Jet Toner Cartridge (~29,000 pages); W2011X HP 659X Magenta Laser Jet Toner Cartridge (~29,000 pages); W2011X HP 659X Magenta Laser Jet Toner Cartridge (~29,000 pages); W2011X HP 659X Magenta Laser Jet Toner Cartridge (~29,000 pages); W2011X HP 659X Magenta Laser Jet Toner Cartridge (~29,000 pages); W2011X HP 659X Magenta Laser Jet Toner Cartridge (~29,000 pages); W2011X HP 659X Magenta Laser Jet Toner Cartridge (~29,000 pages); W2011X HP 659X Magenta Laser Jet Toner Cartridge (~29,000 pages); W2011X HP 659X Magenta Laser Jet Toner Cartridge (~29,000 pages); W2011X HP 659X Magenta Laser Jet Toner Cartridge (~29,000 pages); W2011X HP 659X Magenta Laser Jet Toner Cartridge (~29,000 pages); W2011X HP 659X Magenta Laser Jet Toner Cartridge (~29,000 pages); W2011X HP 659X Magenta Laser Jet Toner Cartridge (~29,000 pages); W2011X HP 659X Magenta Laser Jet Toner Cartridge (~29,000 pages); W2011X HP 659X Magenta Laser Jet Toner Cartridge (~29,000 pages); W2011X HP 659X Magenta Laser Jet Toner Cartridge (~29,000 pages); W2011X HP 659X Magenta Laser Jet Toner Cartridge (~29,000 pages); W2011X HP 659X Magenta Laser Jet Toner Cartridge (~29,000 pages); W2011X HP 659X Magenta Laser Jet Toner Cartridge (~29,000 pages); W2011X HP 659X Magenta Laser Jet Toner Cartridge (~29,000 pages); W2011X HP 659X Magenta Laser Jet Toner Cartridge (~29,000 pages); W2011X HP 659X Magenta Laser Jet Toner Cartridge (~29,000 pages); W2011X HP		
Orderable supplies	HP Laser/Jet Toner Collection Unit 3WT90A, HP Laser/Jet 110V Fuser Kit 4YL16A, HP Laser/Jet 220V Fuser Kit 4YL17A, HP Laser/Jet Image Transfer Belt Kit 3WT89A		
Warranty features	One-year, next-business day, onsite warranty. Warranty and support options vary by product, country and local legal requirements. Contact your Contractual Vendor or go to hp.com/support to learn about HP award winning service and support options in your region. (Warranty Code 4G; Warranty ID A001)		
Energy star certified	Yes		
Energy efficiency compliance ²	CECP; Blue Angel; EPEAT® Silver registered; ENERGY STAR® certified	ENERGY STAR® qualified; EPEAT® Silver; CECP; EPEAT® Gold (#AAZ, #201 options only)	
Control panel	4.3 in IR-touch panel with home button		
Display	4.3-in(10.92 cm) Color Graphics Display(CGD) with touchscreen; rotating (adjustable angle)		
Software included	No software solutions are included in the Box only on http://hp.com, http://123.hp.com		
Fonts and typefaces	105 internal TrueType fonts scalable in HP PCL, Barcode font variants (Code 39, I2 of 5, UPC/ENA, Code 128, OCR-A/OCR-B), 92 internal scalable fonts in HP Postscript level 3 emulation (Euro symbol built-in); 1 internal Unicode Fonts (Andale Mono WorldType); 2 Internal Windows Vista 8 Fonts (Calibri, Cambria); additional font solutions available via third-party flash memory cards; HP Laser Jet Fonts and IPDS Emulation available at hp.com/go/laserjetfonts		
Compatible operating systems	Windows 11; Windows Client 05; Windows 10; Windows 8.1; Windows 7; Mobile 05; iOS; Android; mac05 10.13 High Sierra; mac05 10.14 Mojave; mac05 10.15 Catalina		
Compatible network operating systems	Windows 11; Windows Server; Citrix ; Novell		
Minimum system requirements	PC:2 GB available hard disk space, Internet connection, USB port, Internet browser. For additional OS hardware requirements see microsoft.com; Mac: 2 GB available hard drive space, Internet connection or USB port, OS hardware requirements see apple.com		
Power ⁷	Power supply type: Built-in 115V or 220V Power Supply; Power supply required: Input voltage: 100 V to 127 V nominal (+/-10%), 50 - 60 Hz nominal (+/- 3 Hz), 12 A; Input voltage: 220 V to 240 V nominal (+/-10%), 50 - 60 Hz nominal (+/-3 Hz), 6 A. Not dual voltage, power supply varies by part number with # Option code identifier; Power consumption ⁶ : 870 watts (printing), 77 watts (Ready), 0.7 watts (Sleep), 0.7 watts (HP Auto-Off/Auto On), 0.08 watts (Auto-Off), 0.08 watts (Off); Typical electricity consumption (TEC) number: 2.669 kWh/Week (Blue Angell); 0.725 kWh/Week (Energy Star 3.0)		
Acoustics	Acoustic power emissions: 6.8 B(A)	Acoustic power emissions: 6.8 B(A)	
Operating environment	Operating temperature range: 50 to $90.5^{\circ}F$; Recommended operating temperature: 59 to $80.6^{\circ}F$; Storage temperature range: -4 to $104^{\circ}F$; Operating humidity range: 10 to 80% RH; Recommended operating humidity range: 30 to 70% RH		
Security management	Management security: SNMPv3, Web Services over port 7627, SSL/TLS TLS 1.0/1.1/1.2, FIPS 140-2, Certificate Management, Embedded Web Server, WPA2-Enterprise, 802.1X authentication (EAP- PEAP, EAP-TLS), IPsec/Firewall with Certificate, Pre-Shared Key Authentication, and Kerberos Authentication; Support for WJA-10 IPsec Configuration using IPsec Plug-in		
Country of origin	lapan		

Data sheet I HP Color LaserJet Enterprise M856 Printer series

Optional 500GB Hard Disk

² PERAT® registration varies by country. See http://www.epeat.net for registration status by country.

³ Standard cartridges included; yields 16,000 black and 13,000 color composite (C/M/Y) pages. Average black and color composite (C/M/Y) declared toner yields based on ISO/IEC 19798 and continuous printing. Actual yields vary considerably based on images printed and other factors. For details see http://www.hp.com/go/learnaboutsupplies.

With no accessories and multi-purpose tray closed

- 5 With print cartridges
- Fower requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty. Power consumption values typically based on measurement of 115V device.

 BA TEC is equal to Best TEC. Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty. Energy Star Version 3.0 TEC is not comparable to Energy Star Version 2.0 TEC values or BA TEC values. BA uses Energy Star Version 2.0 TEC. Energy Star value typically based on measurement of 115V device.
- Average black and color composite (C/M/Y) declared toner yields based on ISO/IEC 19798 and value typically based on Images printed and other factors. For details see http://www.hp.com/go/learnaboutsupplies.

 To achieve maximum memory, purchase a DIMM accessory (TAA compliant only with TAA compliant DIMM). A firmware update may be required for configuration page to accurately reflect the accessory DIMM is installed.

 Measured using ISO/IEC 24734 excludes first set of test documents. For more information see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration software application driver and document complexity.

- 11 Measured using ISO 24734 Feature Test AS Landscape Feed. Speed may vary based on content PC media orientation and media type.

 12 Measured using ISO/IEC 17629. For more information see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration software application driver and document complexity.

 13 Duty cycle is defined as the maximum number of pages per month of imaged output. This value provides a comparison of product robustness in relation to other HP Laser Jet or HP Color Laser Jet devices, and enables appropriate deployment of printers and MFPs to satisfy the demands of connected individuals or groups.

 14 HP recommends that the number of printed pages per month be within the stated range for optimum device performance, based on factors including supplies replacement intervals and device life over an extended warranty period.

To learn more, visit hp.com

© Copyright 2024 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein. © Copyright 2019 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein. ENERGY STAR and the ENERGY STAR logo are registered U.S. marks. Windows is a registered trademark of Microsoft Corporation. AirPrint, iPad, iPhone, and iPod touch are trademarks of Apple Inc., registered in the U.S. and other countries.

